## In the Claims:

Please cancel claims 10-12 and 14. Please amend claims 1-9, and 13 as follows. Please add new claims 15-20.

Claims are amended herein.

1. (Currently Amended) A compound of formula (I)

R represents is halogen, C<sub>1-4</sub> alkyl, cyano, C<sub>1-4</sub> alkoxy, trifluoromethyl or trifluoromethoxy;

R<sub>1</sub> represents is hydrogen, halogen, C<sub>3-7</sub>cycloalkyl, hydroxy, nitro, cyano or C<sub>1-4</sub> alkyl optionally substituted by halogen, cyano or C<sub>1-4</sub> alkoxy;

R2 represents is hydrogen or C1-4 alkyl;

R<sub>3</sub> and R<sub>4</sub> independently represents <u>are</u> hydrogen, cyano, C<sub>1-4</sub> alkyl or R<sub>3</sub> together with R<sub>4</sub> and the carbon to which they are bonded form a represents C<sub>3-7</sub> cycloalkyl;

R<sub>5</sub> represents is trifluoromethyl, S(O)<sub>t</sub> C <sub>1-4</sub> alkyl, C<sub>1-4</sub> alkyl, C<sub>1-4</sub> alkoxy, trifluoromethoxy, halogen or cyano;

R<sub>6</sub> represents is hydrogen or (CH<sub>2</sub>)rR<sub>7</sub>;

R7 represents is hydrogen, C3-7 cycloalkyl, NH(C1-4alkylOC1-4alkoxy), NH(C1-4alkyl), N(C1-4alkyl)2, OC(O)NR9R8, NR8C(O)5R9 or C(O)NR9R8;

Rg and Rg independently represents are hydrogen, C<sub>1-4</sub> alkyl or C<sub>3-7</sub> cycloalkyl;

m represents is zero or an integer from 1 to 4; n represents is 1 or 2;

thereof.

p is zero or an integer from 1 to 3;
q is an integer from 1 to 3;
r is an integer from 1 to 4;
t is 0 , 1 or 2;
provided that when m is 0, p is 2, q , r and n represents is 1, R<sub>1</sub>, R<sub>2</sub>,R<sub>3</sub>, R<sub>4</sub>,
R<sub>5</sub> and R<sub>7</sub> are hydrogen and R is chlorine, then R<sub>5</sub> is not iodine;
and or a pharmaceutically acceptable salt or solvate salts and solvates

- 2 (Currently Amended) A compound as claimed in claim 1 wherein R is halogen (e.g. fluorine or chlorine), cyano, trifluoromethyl or a C<sub>1-4</sub> alkyl (e.g. methyl) group and p is 0 or an integer from 1 to 2.
- 3. (Currently Amended) A compound as claimed in <u>claim 1</u> <del>claims 1</del> <del>or 2</del> wherein R<sub>5</sub> is trifluoromethyl, cyano, methyl or halogen and q is an integer from 1 to 2.
- 4. (Currently Amended) A compound as claimed in claim 1 any claims 1 to 3 wherein  $R_6$  is hydrogen or  $(CH_2)_rR_7$  in which r is 1 or 2 and  $R_7$  is hydrogen, cyclopropyl,  $C(O)N(C_{1-4} \text{ alkyl})_2$ ,  $C(O)NH(C_{1-4} \text{ alkyl})$  or  $C_{1-4}$  alkoxy.
- 5. (Currently Amended) A compound as claimed in <u>claim 1 any</u> elaims 1 to 4 wherein R is C<sub>1-4</sub> alkyl , halogen (i.e chlorine or fluorine), trifluoromethyl or cyano; R<sub>1</sub> is hydrogen, methyl, ethyl or halogen (e.g. fluorine), R<sub>2</sub> is a methyl or hydrogen, R<sub>3</sub> and R<sub>4</sub> are independently hydrogen or methyl, R<sub>5</sub> is trifluoromethyl, cyano, methyl, chlorine, bromine or fluorine, R<sub>6</sub> is hydrogen, methyl, ethyl methylcyclopropyl (CH<sub>2</sub>)<sub>2</sub>OCH<sub>3</sub> or CH<sub>2</sub>C(O)N(CH<sub>3</sub>)<sub>2</sub>, p is 0 or an integer from 1 to 2, m is 0 or 1, n is 1 or 2, and q is 1 or 2.

- 6. (Currently Amended) A compound as claimed in <u>claim 1 any</u> claims 1 to 5 wherein m is 1.
- 7. (Currently Amended) A compound selected from:
- N-(3,5-Dichlorobenzyl)-2-[4-(4-fluorophenyl)-piperidin-4-yl]-N-methylacetamide;
- N-(3,5-Dichlorobenzyl)-2-[3-fluoro-4-(4-fluorophenyl)-piperidin-4-yl]-N-methylacetamide;
- 4-(4-Fluorophenyl)-piperidine-4-carboxylic acid, (3,5-bis-trifluoromethyl-benzyl)-methylamide;
- 4-(4-Chlorophenyl)-piperidine-4-carboxylic acid, (3,5-bis-trifluoromethyl-benzyl)-methylamide;
- 4-(4-Fluorophenyl)-piperidine-4-carboxylic acid (3,5-dichloro-benzyl)-methylamide;
- N-(3,5-Bis-trifluoromethyl)-benzyl-2-[(4-fluoro-2-methyl-phenyl)-piperidin-4-yl]-N-methyl-acetamide;
- N-(3,5-Dichlorobenzyl)-2-[4-(4-fluoro-2-methyl-phenyl)-piperidin-4-yl]-N-methyl-acetamide;
- N-(3,5-Bis-trifluoromethyl-benzyl)-2-[4-(4-fluorophenyl)-azepin-4-yl]-N-methyl-acetamide;
- N-(3,5-Bis-trifluoromethyl-benzyl)-2-[4-(4-fluoro-2-methyl-phenyl)-azepin-4-yl]-N-methyl-acetamide;
- N-(3,5-Dichlorobenzyl)-2-[4-(4-fluoro-2-methyl-phenyl)-azepin-4-yl]-N-methyl-acetamide:
- N-(3,5-Bis-trifluoromethyl-benzyl)-2-[3-fluoro-4-(4-fluoro-2-methyl-phenyl)-azepin-4-yl]-N-methyl-acetamide;
- N-(3,5-Dichlorobenzyl)-2-[3-fluoro-4-(4-fluoro-2-methyl-phenyl)-azepin-4-yl]-N-methyl-acetamide;
- N-(3,5-Dichlorobenzyl)-2-[3-fluoro-4-(4-fluoro-2-methyl-phenyl)-azepin-4-yl]-N-methyl-acetamide;
- N-(3,5-Bis-trifluoromethyl-benzyl)-2-[3-fluoro-4-(4-fluoro-2-methyl-phenyl)-azepin-4-yl]-N-methyl-acetamide;

- N-(3,5-Dibromobenzyl)-2-[4-(4-fluorophenyl)-piperidin-4-yl]-N-methylacetamide:
- N-(3,5-Dibromo-benzyl)-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide;
- N-(3,5-Dibromobenzyl)-2-(4-phenyl-piperidin-4-yl)-N-methyl-acetamide;
- N-(3,5-Dibromo-benzyl)-2-(4-phenyl-1-methyl-piperidin-4-yl)-N-methyl-acetamide;
- N-[1-(3,5-Dichloro-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Dichloro-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Dibromo-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Dibromo-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Bis-trifluoromethyl-phenyl)-ethyl]-2-(4-phenyl-piperidin-4-yl)-N-methyl-acetamide;
- N-[1-(3,5- Bis-trifluoromethyl-phenyl)-ethyl]-2-(4-phenyl-1-methyl-piperidin-4-yl)-N-methyl-acetamide;
- N-[1-(3,5-Dibromo-phenyl)-ethyl]-2-(4-phenyl-piperidin-4-yl)-N-methyl-acetamide;
- N-[1-(3,5-Dibromo-phenyl)-ethyl]-2-(4-phenyl-1-methyl-piperidin-4-yl)-N-methyl-acetamide:
- N-[1-(3,5-Dibromo-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Dibromo-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide;

- **№**[(3,5-Dichlorophenyl)methyl]-2-{4-(4-fluoro-2-methylphenyl)-1-[2-(methyloxy)ethyl]-4-piperidinyl}-**№**methylacetamide;
- N-{1-[3,5-Bis(trifluoromethyl)phenyl]ethyl}-2-[4-(4-fluoro-2-methylphenyl)-4-piperidinyl]-N-methylacetamide;
- √[(3,5-Dibromophenyl)methyl]-2-[4-(4-fluoro-2-methylphenyl)-4-piperidinyl]√methylacetamide;
- N-{[3,5-Bis(trifluoromethyl)phenyl]methyl}-2-[4-(4-fluoro-2-methylphenyl)-1-methyl-4-piperidinyl]-N-methylacetamide;
- N-[(3,5-Dichlorophenyl)methyl]-2-[4-(4-fluoro-2-methylphenyl)-1-methyl-4-piperidinyl]-N-methylacetamide;
- *N*-{[3,5-Bis(trifluoromethyl)phenyl]methyl}-2-[4-(4-fluoro-2-methylphenyl)-4-piperidinyl]acetamide;
- N-[(3,5-Dibromophenyl)methyl]-2-[4-(4-fluoro-2-methylphenyl)-1-methyl-4-piperidinyl]-N-methylacetamide;
- N-[(3,5-Dibromophenyl)methyl]-N-methyl-2-[4-(2-methylphenyl)-4-piperidinyl]acetamide;
- V-[(3,5-Dibromophenyl)methyl]-V-methyl-2-[1-methyl-4-(2-methylphenyl)-4-piperidinyl]acetamide;
- M-[(3,5-Dichlorophenyl)methyl]-2-[4-(4-fluorophenyl)-1-methyl-4-piperidinyl]-M-methylacetamide;
- N-{[3,5-Bis(trifluoromethyl)phenyl]methyl}-2-[4-(4-fluorophenyl)-1-methyl-4-piperidinyl]-N-methylacetamide;
- W-[1-(3,5-Dibromophenyl)-1-methylethyl]-2-[4-(4-fluorophenyl)-4-piperidinyl]-W-methylacetamide;
- *N*-[1-(3,5-Dibromophenyl)-1-methylethyl]-2-[4-(4-fluorophenyl)-1-methyl-4-piperidinyl]-*N*-methylacetamide;
- N-[1-(3,5-Bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide;

- 2-[1-(Cyclopropylmethyl)-4-(4-fluorophenyl)-4-piperidinyl]-*N*-[(3,5-dibromophenyl)methyl]-*N*-methylacetamide;
- 2-[4-{2-[[(3,5-Dibromophenyl)methyl](methyl)amino]-2-oxoethyl}-4-(4-fluorophenyl)-1-piperidinyl]-*N*,*N*-dimethylacetamide;
- √[(3,5-Dibromophenyl)methyl]-2-[1-ethyl-4-(4-fluorophenyl)-4-piperidinyl]√
  methylacetamide;
- N-{1-[3,5-Bis(trifluoromethyl)phenyl]ethyl}-2-[4-(4-fluorophenyl)hexahydro-1 /-/-azepin-4-yl]-N-methylacetamide;
- N-{1-[3,5-Bis(trifluoromethyl)phenyl]ethyl}-2-[4-(4-fluorophenyl)-1-methylhexahydro-1*H*-azepin-4-yl]-N-methylacetamide;
- W[(3,5-Dibromophenyl)methyl]-2-[4-(4-fluorophenyl)hexahydro-1 H-azepin-4-yl]-W-methylacetamide;
- N-[(3,5-Dibromophenyl)methyl]-2-[4-(4-fluorophenyl)-1-methylhexahydro-1 H-azepin-4-yl]-N-methylacetamide;
- N-[(3-Bròmo-5-cyanophenyl)methyl]-2-[4-(4-fluorophenyl)-4-piperidinyl]-N-methylacetamide;
- N-[(3-Bromo-5-cyanophenyl)methyl]-2-[4-(4-fluorophenyl)-1-methyl-4-piperidinyl]-N-methylacetamide;
- \(\mathcal{L}\)[(3,5-Dibromophenyl)methyl]-\(\mathcal{L}\)methyl-2-\(\{4-[3-(\text{trifluoromethyl})phenyl]-4-\)piperidinyl\)acetamide;
- √[(3,5-Dibromophenyl)methyl]- √methyl-2-{1-methyl-4-[3-(trifluoromethyl)phenyl]-4-piperidinyl}acetamide;
- *N*-[(3,5-Dibromophenyl)methyl]-2-[4-(3,4-dimethylphenyl)-4-piperidinyl]-*N*-methylacetamide;
- V-[1-(3,5-Dibromophenyl)ethyl]-2-[4-(3-fluorophenyl)-1-methyl-4-piperidinyl]-V-methylacetamide;
- V-[1-(3,5-Dibromophenyl)ethyl]-2-[4-(4-fluoro-3-methylphenyl)-4-piperidinyl]-V-methylacetamide;
- √[1-(3,5-Dibromophenyl)ethyl]-2-[4-(4-fluoro-3-methylphenyl)-1-methyl-4-piperidinyl]√methylacetamide;
- 2-[4-(3-Chlorophenyl)-4-piperidinyl]-*N*-[1-(3,5-dibromophenyl)ethyl]-*N*-methylacetamide;

- M-[1-(3,5-Dibromophenyl)ethyl]-2-[4-(3,4-difluorophenyl)-4-piperidinyl]-M-methylacetamide;
- √[1-(3,5-Dibromophenyl)ethyl]-2-[4-(3,4-difluorophenyl)-1-methyl-4-piperidinyl]√methylacetamide;
- M-[1-(3,5-Dibromophenyl)ethyl]-2-[4-(3-fluorophenyl)-4-piperidinyl]-M-methylacetamide;
- M-[1-(3,5-Dibromophenyl)ethyl]-2-[4-(3-fluorophenyl)-1-methyl-4-piperidinyl]-M-methylacetamide;
- √[1-(3,5-Dibromophenyl)ethyl]-2-[4-(4-fluoro-3-methylphenyl)-4-piperidinyl]
  √methylacetamide;
- N-[1-(3,5-Dibromophenyl)ethyl]-2-[4-(4-fluoro-3-methylphenyl)-1-methyl-4-piperidinyl]-N-methylacetamide;
- 2-[4-(3-Chlorophenyl)-4-piperidinyl]- \( \mathcal{N}-[1-(3,5-dibromophenyl)ethyl]- \( \mathcal{N}-[1-(3,5-dibro
- 2-[4-(3-Chlorophenyl)-1-methyl-4-piperidinyl]-**\mathcal{M}**[1-(3,5-dibromophenyl)ethyl]- **\mathcal{M}**-methylacetamide;
- 2-[4-(3-Chlorophenyl)-4-piperidinyl]-**\(\mathcal{K}\)**[1-(3,5-dichlorophenyl)ethyl]-**\(\mathcal{K}\)**methylacetamide;
- 2-[4-(3-Chlorophenyl)-1-methyl-4-piperidinyl]-*N*-[1-(3,5-dichlorophenyl)ethyl]- *N*-methylacetamide;
- 2-[4-(3-Chlorophenyl)-4-piperidinyl]-\(\mathcal{H}\)[(3,5-dibromophenyl)methyl]-\(\mathcal{H}\)
  methylacetamide;
- W-[1-(3,5-Dichlorophenyl)ethyl]-2-[4-(4-fluoro-3-methylphenyl)-4-piperidinyl]-Wm ethylacetamide;
- √[(3,5-Dibromophenyl)methyl]-2-[4-(4-fluoro-3-methylphenyl)-4-piperidinyl]√methylacetamide;
- √[(3,5-Dibromophenyl)methyl]-2-[4-(4-fluoro-3-methylphenyl)-1-methyl-4-piperidinyl]-√-methylacetamide;
- √-[(3,5-Dibromophenyl)methyl]-2-[4-(3-fluorophenyl)-4-piperidinyl]✓methylacetamide;
- W-[(3,5-Dibromophenyl)methyl]-2-[4-(3-fluorophenyl)-1-methyl-4-piperidinyl]-W-methylacetamide;

- M-[(3,5-Dibromophenyl)methyl]-2-[4-(3,4-difluorophenyl)-4-piperidinyl]-M-methylacetamide;
- M-[(3,5-Dibromophenyl)methyl]-2-[4-(3,4-difluorophenyl)-1-methyl-4piperidinyl]-M-methylacetamide;
- 2-[4-(4-Cyanophenyl)-4-piperidinyl]- \( \mathcal{N}-[1-(3,5-dibromophenyl) ethyl]- \( \mathcal{N}-[1-(3,5-dibromop
- diastereoisomers or enantiomers thereof and pharmaceutically acceptable salts (e.g. hydrochloride) thereof.
- 8 (Currently Amended) A compound selected from
- [N-(3,5-Dibromo-benzyl)-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(S)-1-(3,5-Bis-trifluoromethyl-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide;
- N-[1-(3,5-Dibromo-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide (enantiomer 1);
- N-[1-(3,5-Dibromo-phenyl)-ethyl]-2-(1-methyl-4-phenyl-piperidin-4-yl)-N-methyl-acetamide (enantiomer 1);
- N-[1-(3,5-Dichloro-phenyl)-ethyl]-2-[4-(4-fluoro-phenyl)-1-methyl-piperidin-4-yl]-N-methyl-acetamide (enantiomer 1); and pharmaceutically acceptable salts thereof (e.g. hydrochloride).
- 9. (Currently Amended) A process (A) for the preparation of a compound as claimed in claim 1 which comprises reacting an activated derivative of the carboxylic acid of formula (II) wherein R<sub>6</sub> is a nitrogen protecting group or (CH2)rR<sub>7</sub>, with amine (III)

## PI4861USw

wherein R<sub>2</sub> is hydrogen, C<sub>1-4</sub> alkyl or a nitrogen protecting group, followed where necessary by removal of any nitrogen protecting group.; or a process B for the preparation of a compound of formula(I) wherein R<sub>2</sub> is C<sub>-1-4</sub> alkyl which comprises the reaction of a compound of formula(Ia), with (C<sub>-1-4</sub> alkyl)L wherein L is a suitable leaving group selected from iodine, bromine.

$$\begin{array}{c|c} R6 \\ R1 \\ \hline \\ (CH_2)n \\ \hline \\ (CH_2)m \\ \hline \\ R2 \\ \hline \\ (R_5)q \\ \hline \\ (R_5)q \\ \hline \\ (R_6)p \\ \hline \end{array}$$

## 10-12. (Canceled)

- 13. (Currently Amended) A pharmaceutical composition comprising a compound as claimed in <u>claim 1</u> any claims 1 to 8 in admixture with one or more pharmaceutically acceptable carriers or excipients.
- 14. (Canceled)
- 15. (New) A compound as claimed in claim 1 wherein R is fluorine or chlorine, cyano, trifluoromethyl or methyl and p is 0 or an integer from 1 to 2.

- 16. (New) A compound as claimed in claim 1 wherein R is C<sub>1-4</sub> alkyl, chlorine or fluorine, trifluoromethyl or cyano; R<sub>1</sub> is hydrogen, methyl, ethyl or fluorine, R<sub>2</sub> is a methyl or hydrogen, R<sub>3</sub> and R<sub>4</sub> are independently hydrogen or methyl, R<sub>5</sub> is trifluoromethyl, cyano, methyl, chlorine, bromine or fluorine, R<sub>6</sub> is hydrogen, methyl, ethyl methylcyclopropyl (CH<sub>2</sub>)<sub>2</sub>OCH<sub>3</sub> or CH<sub>2</sub>C(O)N(CH<sub>3</sub>)<sub>2</sub>, p is 0 or an integer from 1 to 2, m is 0 or 1, n is 1 or 2, and q is 1 or 2.
- 17. (New) A process (B) for the preparation of a compound as claimed in claim 1 wherein R<sub>2</sub> is C <sub>1-4</sub> alkyl comprising reacting a compound of formula(Ia), with (C <sub>1-4</sub> alkyl)L wherein L is a suitable leaving group selected from iodine, bromine

$$R_1$$
 $(CH_2)_n$ 
 $(CH_2)_m$ 
 $R_2$ 
 $(R_5)_q$ 
 $(Ia)$ .

- 18. (New) A method for the treatment of a condition mediated by a tachykinin and/or selective inhibition of serotonin reuptake transporter protein in a mammal in need thereof, comprising administering an effective amount of a compound as claimed in claim 1.
- 19. (New) The method as claimed in claim 18, wherein said tachykinin is substance P.
- 20. (New) The method as claimed in claim 18, wherein said mammal is man.